



Toepassingen

Wandvisuals

Sfeerwanden

Productpresentatie


Beurswanden

Roomdividers

Gemodificeerd Ayous hout zonder chemicaliën, 100% natuurlijk en voor 70% FSC-gecertificeerd.

Doek bevat 30% gerecyclede doeken, PVC-vrij en zonder PU-coating.

Optioneel met gerecyclede akoestische vulling voor optimale akoestiek.”



PVC vrij*



Recyclebaar



Duurzame rustieke uitstraling



Doek bevat 30% gerecyclede doeken



Doek zonder PU coating



Max. formaat 3x3 mtr



Technical Data Sheet

Status
checked

24.07.2025
24.07.2025

Product	PureNight Pro ReNew PES-Dekotex mit "INKTeX+® FL Ausrüstung" 8668SDRNWGFS
Material	68 % Virgin polyester 32 % Textile-to-Textile chemically recycled polyester - Level 5 -
Possible widths	app. 310 cm
Making-up	rolled on paper cores
Packaging	Wrapped with foil (LDPE)
Ecology	according to STANDARD 100 by OEKO-TEX, product class 2 (direct contact with skin)
Recycling	Level 5 suitable / chemical recyclable
Ink-type	transfer printing, direct printing with dye-sub inks
Properties	Flame retardant, wrinkle resistant, blackout

Weight				
acc. to DIN EN 12127	290.00	[g/m²]	+ - 3	[%]

Tearing strength

Elongation at 100 N, longitudinal direction				
acc. to DIN EN ISO 13934-1	57.00	[%]	+ - 20	[%]
Elongation at 100 N, cross direction				
acc. to DIN EN ISO 13934-1	1.65	[%]	+ - 20	[%]
Maximum tensile elongation, longitudinal direction				
acc. to DIN EN ISO 13934-1	90.00	[%]	+ - 20	[%]
Maximum tensile elongation, cross direction				
acc. to DIN EN ISO 13934-1	28.00	[%]	+ - 20	[%]
Maximum tearing strength, longitudinal direction (min.)				
acc. to DIN EN ISO 13934-1	min. 125.00	[N/5 cm]		

Maximum tearing strength, cross direction (min.)

acc. to DIN EN ISO 13934-1

min. 25.00 [N/5 cm]

We do not accept liability for errors. The confirmed properties are valid in the state of delivery. Any further processing can change them (e.g. washing / flame retardancy).

Please pay attention to our general considerations regarding fabrication at www.g-o-friedrich.com

Printing mistakes and changes are reserved.